
*** Network Configuration Page ***

1 Product Information
1- 1 Product Name TR4700 series
1- 2 ROM Version 2.000
1- 3 Serial Number ABCD12345
1- 4 Default Password AaBbCcDd

2 Network Diagnostics
2- 1 Diagnostic Result There is a problem in the settings/environment.
2- 2 Result Codes C-0,C-9
2- 3 Result Code Details <http://canon.com/ijnwt>

3 Wireless LAN Enable

3- 2 Infrastructure Enable

3- 2- 1 Signal Strength 90[%]
3- 2- 2 Link Quality 90[%]
3- 2- 3 Frequency 2.4[GHz]

3- 2- 4 MAC Address AA:BB:CC:DD:EE:FF
3- 2- 5 Connection Active
3- 2- 6 SSID My Network
3- 2- 7 Channel 1
3- 2- 8 Encryption AES
3- 2- 9 WEP Key Length Inactive
3- 2-10 Authentication WPA2-PSK

3- 2-11 TCP/IPv4 Enable
3- 2-12 IP Address 192.168.0.105
3- 2-13 Subnet Mask 255.255.255.0
3- 2-14 Default Gateway 192.168.0.1

3- 2-15 TCP/IPv6 Enable

3- 2-16 Link Local Address aaaa::bbbb:cccc:dddd:eeee
3- 2-17 Link Local Prefix Length 64

3- 2-18 Stateless Address1
3- 2-19 Stateless Prefix Length1
3- 2-20 Stateless Address2
3- 2-21 Stateless Prefix Length2
3- 2-22 Stateless Address3
3- 2-23 Stateless Prefix Length3
3- 2-24 Stateless Address4
3- 2-25 Stateless Prefix Length4

3- 2-26 Default Gateway1
3- 2-27 Default Gateway2
3- 2-28 Default Gateway3
3- 2-29 Default Gateway4

3- 2-33 IPsec Inactive
3- 2-34 Security Protocol

3- 3 Wireless Direct Disable
3- 3- 1 MAC Address AA:BB:CC:FF:DD:EE
3- 3- 2 Connection
3- 3- 3 SSID
3- 3- 4 Password
3- 3- 5 Channel
3- 3- 6 Encryption
3- 3- 7 Authentication

3- 3- 8 TCP/IPv4
3- 3- 9 IP Address
3- 3-10 Subnet Mask
3- 3-11 Default Gateway

3- 3-12 TCP/IPv6

3- 3-13 Link Local Address
3- 3-14 Link Local Prefix Length

3- 3-15 IPsec
3- 3-16 Security Protocol

5 Other Settings

5- 1 Printer Name 000000000000
5- 2 Wireless Direct DevName DIRECT-pW18-TR4700series

5- 4 WSD Printing Enable
5- 5 WSD Timeout 15[min]

5- 6 LPD Printing Enable
5- 7 RAW Printing Enable

5- 9 Bonjour Enable
5-10 Bonjour Service Name Canon TR4700 series-2

5-11 LLMNR Enable
5-12 SNMP Enable

5-14 DNS Server Auto
5-15 Primary Server 1.2.3.4
5-16 Secondary Server 5.6.7.8
5-17 Proxy Server Disable
5-18 Proxy Address
5-19 Proxy Port

5-20 Cert. Fingerprt(SHA-1) 00000000 00000000 00000000 00000000 00000000
5-21 Cert. Fingerprt(SHA-256) 00000000 00000000 00000000 00000000 00000000
00000000 00000000 00000000

7 Web Services

7- 1 Unsent Usage Logs 0
7- 2 Usage Log Last Sent

7- 3 Web Service Status	Not set
7- 4 Log Transmission Status	Not activated
7- 5 Subscription Information	
7- 5- 1 Subscription Ink	Not Available
7- 5- 2 Remaining Offline Prints	0
7- 5- 3 Installed Cartridge Type	Setup
7- 5- 4 Online Support	