

Product Information

Product Name PRO-1000 series
ROM Version 1.###
Serial Number ABCD12345

Wireless LAN

Enable
MAC Address AA:BB:CC:DD:EE:FF

Infrastructure

Enable
Connection Inactive
SSID BJNPSETUP
Channel
Encryption none
WEP Key Length Inactive
Authentication none

Signal Strength 0[%]

TCP/IPv4 Enable

IP Address
Subnet Mask
Default Gateway

TCP/IPv6 Enable

Link Local Address
Link Local Prefix Length

Manual Setting Disable

IP Address
Subnet Prefix Length

Stateless Address1
Stateless Prefix Length1
Stateless Address2
Stateless Prefix Length2
Stateless Address3
Stateless Prefix Length3
Stateless Address4
Stateless Prefix Length4

Default Gateway1
Default Gateway2
Default Gateway3
Default Gateway4

IPsec Inactive
Security Protocol

Wireless LAN DRX Enable

Default Gateway4

IPsec
Security Protocol

Wired LAN DRX

Other Settings

Printer Name 000000000000
Direct Conn. DevName 000000-PRO-1000series

WSD Printing Enable
WSD Timeout 1 [min]

LPD Printing Enable
RAW Printing Enable

Bonjour Enable
Bonjour Service Name Canon PRO-1000 series

LLMNR Enable
SNMP Enable

PictBridge Commun. Enable

DNS Server Auto
Primary Server
Secondary Server
Proxy Server Disable
Proxy Address
Proxy Port