

\*\*\*\*\*  
\*\*\* Network Configuration Page \*\*\*  
\*\*\*\*\*

1 Product Information

1- 1 Product Name TR8500 series  
1- 2 ROM Version 1.080  
1- 3 Serial Number ABCD12345

2 Network Diagnostics

2- 1 Diagnostic Result There is a problem in the settings/environment.  
2- 2 Result Codes c-0,c-9  
2- 3 Result Code Details <http://canon.com/ijnwt>

3 Wireless LAN

Enable  
3- 2 Infrastructure Enable  
3- 2- 1 Signal Strength 62[%]  
3- 2- 2 Link Quality 50[%]  
3- 2- 3 Frequency 2.4[GHz]  
  
3- 2- 4 MAC Address 00:11:22:33:44:55  
3- 2- 5 Connection Active  
3- 2- 6 SSID CITS\_TSE  
3- 2- 7 Channel 11  
3- 2- 8 Encryption AES  
3- 2- 9 WEP Key Length Inactive  
3- 2-10 Authentication WPA2-PSK  
  
3- 2-11 TCP/IPv4 Enable  
3- 2-12 IP Address 192.168.1.123  
3- 2-13 Subnet Mask 255.255.255.0  
3- 2-14 Default Gateway 192.168.1.1  
  
3- 2-15 TCP/IPv6 Enable  
  
3- 2-16 Link Local Address 0000::000:0000:0000:0000  
3- 2-17 Link Local Prefix Length 64  
  
3- 2-18 Stateless Address1  
3- 2-19 Stateless Prefix Length1  
3- 2-20 Stateless Address2  
3- 2-21 Stateless Prefix Length2  
3- 2-22 Stateless Address3  
3- 2-23 Stateless Prefix Length3  
3- 2-24 Stateless Address4  
3- 2-25 Stateless Prefix Length4  
  
3- 2-26 Default Gateway1  
3- 2-27 Default Gateway2  
3- 2-28 Default Gateway3  
3- 2-29 Default Gateway4  
  
3- 2-33 IPsec Inactive  
3- 2-34 Security Protocol



## 5 Other Settings

5- 1 Printer Name	B6BC97000000
5- 2 Wireless Direct DevName	DIRECT-3t97-TR8500series
5- 4 WSD Printing	Enable
5- 5 WSD Timeout	15[min]
5- 6 LPD Printing	Enable
5- 7 RAW Printing	Enable
5- 9 Bonjour	Enable
5-10 Bonjour Service Name	Canon TR8500 series
5-11 LLMNR	Enable
5-12 SNMP	Enable
5-13 PictBridge Commun.	Enable
5-14 DNS Server	Auto
5-15 Primary Server	1.1.1.1
5-16 Secondary Server	2.2.2.2
5-17 Proxy Server	Disable
5-18 Proxy Address	
5-19 Proxy Port	
5-20 Cert. Fingerprt(SHA-1)	00000000 00000000 00000000 00000000 00000000
5-21 Cert. Fingerprt(SHA-256)	00000000 00000000 00000000 00000000 00000000 00000000 00000000 00000000

## 6 Bluetooth

6- 1 Bluetooth Setting	Enable
6- 2 Bluetooth PIN Code	000000
6- 3 Bluetooth Device Address	00:00:00:00:00:00
6- 4 Peer Device Address	
6- 5 Bluetooth Device Name	TR8500 series