
*** Network Configuration Page ***

1 Product Information

1- 1 Product Name TR7800 series
1- 2 ROM Version 1.030
1- 3 Serial Number ABCD00001

2 Network Diagnostics

2- 1 Diagnostic Result Not connected to the network.
2- 2 Result Codes C-5,C-11
2- 3 Result Code Details <http://canon.com/ijnwt>

3 Wireless LAN

Enable

3- 2 Infrastructure

Enable

3- 2- 1 Signal Strength 0[%]
3- 2- 2 Link Quality 0[%]
3- 2- 3 Frequency 2.4[GHz]

3- 2- 4 MAC Address AA:AA:AA:AA:AA:AA
3- 2- 5 Connection Inactive
3- 2- 6 SSID BJNPSETUP
3- 2- 7 Channel
3- 2- 8 Encryption none
3- 2- 9 WEP Key Length Inactive
3- 2-10 Authentication none

3- 2-11 TCP/IPv4 Enable
3- 2-12 IP Address
3- 2-13 Subnet Mask
3- 2-14 Default Gateway

3- 2-15 TCP/IPv6 Enable

3- 2-16 Link Local Address
3- 2-17 Link Local Prefix Length

3- 2-18 Stateless Address1
3- 2-19 Stateless Prefix Length1
3- 2-20 Stateless Address2
3- 2-21 Stateless Prefix Length2
3- 2-22 Stateless Address3
3- 2-23 Stateless Prefix Length3
3- 2-24 Stateless Address4
3- 2-25 Stateless Prefix Length4

3- 2-26 Default Gateway1
3- 2-27 Default Gateway2
3- 2-28 Default Gateway3
3- 2-29 Default Gateway4

3- 2-33 IPsec Inactive

3- 2-34 Security Protocol

3- 2-35 Wireless LAN DRX Enable

3- 3 Wireless Direct Enable

3- 3- 1 MAC Address AA:AA:AA:AA:AA:AA

3- 3- 2 Connection Active

3- 3- 3 SSID DIRECT-DG46-TR7800series

3- 3- 4 Password

3- 3- 5 Channel 3

3- 3- 6 Encryption AES

3- 3- 7 Authentication WPA2-PSK

3- 3- 8 TCP/IPv4 Enable

3- 3- 9 IP Address 192.168.115.1

3- 3-10 Subnet Mask 255.255.255.0

3- 3-11 Default Gateway 192.168.115.1

3- 3-12 TCP/IPv6 Enable

3- 3-13 Link Local Address 0000::0000:0000:0000:0000

3- 3-14 Link Local Prefix Length 64

3- 3-15 IPsec Inactive

3- 3-16 Security Protocol

3- 3-17 Wireless LAN DRX Disable

3- 3-18 Frequency 2.4[GHz]

5 Other Settings

5- 1 Printer Name 000000000000

5- 2 Wireless Direct DevName DIRECT-DG46-TR7800series

5- 4 WSD Printing Enable

5- 5 WSD Timeout 15[min]

5- 6 LPD Printing Enable

5- 7 RAW Printing Enable

5- 9 Bonjour Enable

5-10 Bonjour Service Name Canon TR7800 series

5-11 LLMNR Enable

5-12 SNMP Enable

5-14 DNS Server Auto

5-15 Primary Server

5-16 Secondary Server

5-17 Proxy Server Disable

5-18 Proxy Address

5-19 Proxy Port

5-20 Cert. Fingerprt(SHA-1) 0000000 0000000 0000000 0000000 0000000

5-21 Cert. Fingerprt(SHA-256) 0000000 0000000 0000000 0000000 0000000

0000000 0000000 0000000

7 Web Services

7- 1 Unsent Usage Logs	0
7- 2 Usage Log Last Sent	
7- 3 Web Service Status	Disabled
7- 4 Log Transmission Status	Not activated
7- 5 Subscription Information	
7- 5- 1 Subscription Status	Not Available
7- 5- 2 Remaining Offline Prints	0
7- 5- 3 Installed Cartridge Type	Setup
7- 5- 4 Online Support	